

The image displays a detailed legend for a GIS application, organized into several columns. Each column contains a list of map layers with expandable tree icons, and a corresponding section of symbology symbols.

- Column 1: Watershed Context**
 - Watershed Context
 - Communities
 - BC Municipalities
 - First Nations
 - Base Maps
 - Toporama Names
 - Watershed Groups (1:20K FWA)
 - Watershed Boundaries (1:20K FWA)
 - Watersheds (1:50K)
 - Lakes (1:7.5M)
 - Rivers (1:7.5M)
 - Canada Base Map
 - Boundaries
 - Mapsheet Grids
 - 1:5K Mapsheets
 - 1:20K (TRIM) Mapsheets
 - 1:50K (NTDB) Mapsheets
 - Eosections
 - Regional Districts
 - Water Quality and Quantity
 - CABIN Data
 - CABIN Reference Sites
 - Not Stressed
 - Slightly Stressed
 - Stressed
 - Severely Stressed
 - Environmental Monitoring Station
 - Water Quality - Multi Resource Value Assessment
 - Very High Impact
 - High Impact
 - Moderate Impact
 - Low Impact
 - Very Low Impact
 - Fish and Wildlife
 - Fish Distribution by Species
 - All Species
 - White Sturgeon
 - Green Sturgeon
 - Salish Sucker
 - Rainbow Trout
- Column 2: Fish Passage Obstacles (FISS)**
 - Nooksack Dace
 - Kokanee
 - Dolly Varden
 - Cutthroat Trout
 - Bull Trout
 - Anadromous Cutthroat Trout
 - Steelhead
 - Sockeye Salmon
 - Pink Salmon
 - Coho Salmon
 - Chum Salmon
 - Chinook Salmon
 - Fish Passage Obstacles (FISS)
 - Ecosystems
 - Forest Cover Change
 - Cumulative Gain 2000-2013
 - Cumulative Loss 2001 - 2013
 - 2000 - 2001
 - 2001 - 2002
 - 2002 - 2003
 - 2003 - 2004
 - 2004 - 2005
 - 2005 - 2006
 - 2006 - 2007
 - 2007 - 2008
 - 2008 - 2009
 - 2009 - 2010
 - 2010 - 2011
 - 2011 - 2012
 - 2012 - 2013
 - Fraser Lake Data
 - Points of Interest
 - 'Beaver Lodge'
 - 'Raptor Nest'
 - 'Water Line'
 - Shoreline Vegetation
 - 'Broadleaf forest'
 - 'Coniferous forest'
 - 'Herbs/grasses'
 - 'Lawn'
 - Column 3: Riparian Impacts - Multi Resource Value Assessment**
 - 'Mixed forest'
 - 'Natural wetland'
 - 'Shrubs'
 - Shoreline Type
 - 'Gravel'
 - 'Rocky Shore'
 - 'Sand'
 - 'Stream Mouth'
 - 'Wetland'
 - Aquatic Vegetation
 - 'Emergent Vegetation (EV)'
 - 'Floating Vegetation (FV)'
 - 'Sparse Emergent Vegetation (SEV)'
 - Riparian Impacts - Multi Resource Value Assessment
 - High
 - Medium
 - Low
 - Very Low
 - Biogeoclimatic Ecosystem Classification
 - Boreal Altai Fescue Alpine
 - Coastal Mountain-heather Alpine
 - Interior Mountain-heather Alpine
 - Spruce -- Willow -- Birch
 - Boreal White and Black Spruce
 - Sub-Boreal Pine -- Spruce
 - Sub-Boreal Spruce
 - Mountain Hemlock
 - Engelmann Spruce -- Subalpine Fir
 - Montane Spruce
 - Bunchgrass
 - Ponderosa Pine
 - Interior Douglas-fir
 - Coastal Douglas-fir
 - Interior Cedar -- Hemlock
 - Coastal Western Hemlock
 - Resource Use
 - Stream Length Restricted
 - Stream Length Restricted 2000
 - 81-100%
 - 61-80%
 - Column 4: Stream Length Restricted**
 - 41-60%
 - 21-40%
 - 1-20%
 - 0%
 - No License
 - Stream Length Restricted 1970
 - 81-100%
 - 61-80%
 - 41-60%
 - 21-40%
 - 1-20%
 - 0%
 - No License
 - Stream Length Restricted 1950
 - 81-100%
 - 61-80%
 - 41-60%
 - 21-40%
 - 1-20%
 - 0%
 - No License
 - Water Licenses (2011)
 - Active Application
 - Active Application & License
 - Inactive
 - Active License
 - Forest_Districts
 - Agriculture Land Reserve
 - BC Mines
 - Coal Mine
 - Coal Significant Project
 - Coal Proposed Mine
 - Metal Mine
 - Metal Significant Project
 - Metal Mine Development
 - Metal Proposed Mine
 - BC Historic Mines
 - Column 5: Conservation / Stewardship**
 - Conservation / Stewardship
 - Fisheries Project Registry
 - Stewardship & Restoration Projects
 - Started in 2000 or Newer
 - Started Before 2000
 - Research & Assessment Projects
 - Started in 2000 or Newer
 - Started Before 2000
 - Planning & Economic Development
 - Started in 2000 or Newer
 - Started Before 2000
 - Protected Areas (2011)
 - Ecological Reserve
 - Protected Area
 - Provincial Park
 - Recreation Area
 - Stuart Nechako Watershed